



SPX429

Product Catalog

SPX

SPX429

max 2940 kg

3560 x 780 x 1955 mm

max 17 m

max 11 m

The top of the range mini crane. Technology, innovation and reliability enclosed in the best-seller mini crane ever.




Technical Information

Dimension	L x W x H	3560 x 780 x 1955 mm
Stab. Area		3730 x 3730 mm

		Kg
Crane & Options Weights	SPX429CDH	2280
	SPX429C+	2280
	/	200
	2.5T-D7	20
	PP400-4DX PP220-4DX PP220-2DX	45
	JIB800GX JIB800.2H1MX MV600.3E+ MR800.4-6+4P	25 170 200 300

SPX429CDH	Petrol Engine	KUBOTA D722-E3B	14.9 kW 20 Hp
SPX429C+	Standard or Lithium Battery	N.4 BATTERIES 6V, 420Ah	4.0 kW 5.5 Hp

Speed		1.8 km/h (CDH) 0.72 km/h (C+)
Gradeability		20°
Ext. Tracks		770-1100 mm



Electric Power Pack


4 kW - 3F
400 VAC 50 Hz

AUX

EU:
2 kW - 1F 220 VAC 50 Hz
USA/CANADA:
4 kW - 1F 110 VAC 60 Hz


Winch & Fall Stages

Main Winch
980 kg (Single line)
51 m - Ø 8 mm
24,4-33,2 m/min.




Max. Capacity	Line	Metres
max 2700 kg	3	-19 m
max 1950 kg	2	-31 m
max 980 kg	1	-64 m

Load Chart



Dimensions



Crane Options

Battery Options

BP-LT-SPX312-424

Battery Chargers

BC-220V60A

BC-110V60A

J-Connect

J-CON
J-CON-Y2

Electric Power Pack

PP220-2DX

PP220-4DX

PP401-4DX

Attachments & Tools

JIB800GX

JIB800.2H1MX

QC-MV600A

MV600.3E+ + Steel Holder

QC-MR800D

MR800.4-6+4P + Steel Holder

JIB301GR

JIB302GR

HA-SPX429

VAI

RC-SPX_B

RC-SPX_C

WUK-02

WT-2007242

EXT-209/312/424

OM400

2.5T-D7

LAYOUT

Tools Configurations


	JIB800GX	JIB800.2H1MX	MV600.3E+	MR800.4-6+4P	JIB301/2GR
max	800 kg	800 kg	600 kg	800 kg	300 kg
max	740 kg @ 12.5 m	250 kg @ 17 m	400 kg @ 12 m	400 kg @ 13 m	300 kg @ 10.7 m
max	180 kg @ 10.2 m	100 kg @ 11 m	160 kg @ 7 m	130 kg @ 7 m	300 kg @ 7 m

- A2B
- BPI
- CCI
- DTC
- EXT
- GSC
- LMI
- P&C
- PPA
- SCI
- TH
- VW
- RCD
- 2SW
- 2ST

SPX429 Main Features

GEOMETRICAL STABILITY CONTROL

- ✓ Outriggers multi-position and angle
- ✓ Automatic load of working area
- ✓ Different working area:
 - Red - 0%
 - Grey - pick&carry
 - Yellow - 50%
 - Green - 100%



PLUG&PLAY SYSTEM CONTROL

- All accessories and tools:
- ✓ Integrated with the crane
 - ✓ Immediately recognized by the software
 - ✓ With a single radio remote control (same of the crane)



DIFFERENT ATTACHMENTS

- ✓ Three different JIBS
- ✓ Different tools completely integrated and radio remote controlled: glass manipulator, pipe manipulator, hydraulic fork...



GLASS MANIPULATOR



MANUAL JIB



SEARCHER HOOK



HYDRAULIC JIB



Jekko srl

Via Campardone, 1 - 31014 Colle Umberto (TV) Italy
info@jekko.it - www.jekko-cranes.com